


Brocas Sistema 1.2/1.5/2.0/2.4




Brocas Mini e Micro

Ø0,9 Sistema 1.2




medidas measure (mm)			códigos code (mm)
L	A	B	
65,0	15,0	40,0	144050812015
65,0	4,0	61,0	144050912004
65,0	5,0	60,0	144050912005
65,0	7,0	58,0	144050912007
65,0	9,0	56,0	144050912009
65,0	15,0	50,0	144050912015

Ø1,1 Sistema 1.5



medidas measure (mm)			códigos code (mm)
L	A	B	
30,0	15,0	15,0	144051115030
60,0	17,0	43,0	144051115065
60,0	23,0	37,0	144051115023
65,0	4,0	61,0	144051115004
65,0	5,0	60,0	144051115005
65,0	7,0	58,0	144051115007
65,0	9,0	56,0	144051115009
65,0	11,0	54,0	144051115011
65,0	13,0	52,0	144051115013
65,0	15,0	50,0	144051115015
115,0	4,0	111,0	144051115111
115,0	5,0	110,0	144051115110
115,0	7,0	108,0	144051115108
115,0	9,0	106,0	144051115107
115,0	11,0	104,0	144051115100
115,0	13,0	102,0	144051115104
115,0	15,0	100,0	144051115102

Ø1,4 Sistema 2.0




medidas measure (mm)			códigos code (mm)
L	A	B	
65,0	4,0	61,0	144051420004
65,0	5,0	60,0	144051420005
65,0	6,0	59,0	144051420006
65,0	8,0	57,0	144051420008
65,0	10,0	55,0	144051420010
65,0	12,0	53,0	144051420012
65,0	14,0	51,0	144051420014
65,0	16,0	49,0	144051420016
65,0	18,0	47,0	144051420018
100,0	4,0	96,0	144051420096
100,0	5,0	95,0	144051420095
100,0	6,0	94,0	144051420094
100,0	8,0	92,0	144051420092
100,0	10,0	90,0	144051420090
100,0	12,0	88,0	144051420088
100,0	14,0	86,0	144051420086
100,0	16,0	84,0	144051420084
100,0	18,0	82,0	144051420082
100,0	24,0	76,0	144051420100
100,0	30,0	70,0	144051420030
100,0	35,0	65,0	144051420035
115,0	4,0	111,0	144051420111
115,0	5,0	110,0	144051420110
115,0	6,0	109,0	144051420109
115,0	8,0	107,0	144051420107
115,0	10,0	105,0	144051420105
115,0	12,0	103,0	144051420103

medidas measure (mm)			códigos code (mm)
L	A	B	
115,0	14,0	101,0	144051420101
115,0	16,0	99,0	144051420099
115,0	18,0	97,0	144051420097
115,0	24,0	91,0	144051420091


Brocas Mini e Micro

Ø1,6 Sistema 2.0



medidas measure (mm)			códigos code (mm)
L	A	B	
30,0	15,0	15,0	144051620015
65,0	4,0	61,0	144051620004
65,0	5,0	60,0	144051620005
65,0	6,0	59,0	144051620006
65,0	8,0	57,0	144051620008
65,0	10,0	55,0	144051620010
65,0	12,0	53,0	144051620012
65,0	14,0	51,0	144051620014
65,0	16,0	49,0	144051620016
65,0	18,0	47,0	144051620018
65,0	24,0	41,0	144051620065
100,0	4,0	96,0	144051620096
100,0	5,0	95,0	144051620095
100,0	6,0	94,0	144051620094
100,0	8,0	92,0	144051620092
100,0	10,0	90,0	144051620090
100,0	12,0	88,0	144051620088
100,0	14,0	86,0	144051620086
100,0	16,0	84,0	144051620084
100,0	18,0	82,0	144051620082
100,0	24,0	76,0	144051620076
100,0	30,0	70,0	144051620030
115,0	4,0	111,0	144051620111
115,0	5,0	110,0	144051620110
115,0	6,0	109,0	144051620109
115,0	8,0	107,0	144051620107
115,0	10,0	105,0	144051620105
115,0	12,0	103,0	144051620103
115,0	14,0	101,0	144051620101
115,0	16,0	99,0	144051620099
115,0	18,0	97,0	144051620097
115,0	24,0	91,0	144051620091

Ø1,9 Sistema 2.4



medidas measure (mm)			códigos code (mm)
L	A	B	
65,0	8,0	57,0	144051924008
65,0	10,0	55,0	144051924010
65,0	14,0	51,0	144051924014
65,0	24,0	41,0	144051924065
100,0	8,0	92,0	144051924092
100,0	10,0	90,0	144051924090
100,0	14,0	86,0	144051924086
100,0	24,0	76,0	144051924100
100,0	35,0	65,0	144051924035
115,0	8,0	107,0	144051924107
115,0	10,0	105,0	144051924105
115,0	14,0	101,0	144051924101
115,0	24,0	91,0	144051924091
115,0	8,0	107,0	144051924147
115,0	10,0	105,0	144051924145
115,0	14,0	101,0	144051924141
115,0	24,0	91,0	144051924131

A ±0,2

passo 5,4

0,2

Ø1,6_{+0,02}

L ±0,2

Ø2,0_{+0,02}

13°

Anel Azul

Ø1,8

6

2

0,79

B

Distribuidor Autorizado

Qualidade mecânica a serviço da saúde.

27



TÓRIDE Indústria e Comércio Ltda

Av. Caetano Schincariol . Nº 97 . Parque das Empresas . Mogi Mirim-SP . Brasil
CEP 13803-340 . Fax: +55 (19)55 19 38625858 / 38057580 / 08007722258

vendas@torideimplantes.com.br / sac@torideimplantes.com.br . www.torideimplantes.com.br